OMI Level 2 Ozone DOAS Data Product Specification

		Date	Signature
Author:	J.P. Veefkind		
Checked:	J.F. de Haan		
Approved:	P.F. Levelt		
Archive:	R. Noordhoek		

Distribution list:

OMI Science team

Gilbert Leppelmeier	FMI	John van de Vegte	KNMI
Anssi Mälkki	FMI	Bert van den Oord	KNMI
Pieternel Levelt	KNMI	Al Fleig	NASA/GSFC
Bert van den Oord	KNMI		

Agencies

Joost Carpay	NIVR

Industry

Risto Ahonen	SSF

Others

EOS-Aura project

Change status:

Issue	Date	Comments	Affected pages
0.1	26-10-2001	First draft	All
0.5	10-05-2002	Major Update	All
1.0 (Draft)	15-11-2002	Major Update	All
1.0	11-12-2002	First Formal Release	All
1.1 Draft	09-01-2004	Changes to reflect 0.9.30 SW version	

1 Introduction

1.1 Purpose of the document

This document specifies the OMI Level 2 Ozone DOAS data product. This product will be produced by the OMI Ozone DOAS software, as described in AD1. Along with this document there is also sample software and product samples. The Zip archive containing the sample software and product samples can be requested by sending an e-mail to veefkind@knmi.nl .

1.2 Definitions, acronyms and abbreviations

DOAS	Differential Optical Absorption Spectroscopy
ECS	EOS Core System
HDF	Hierarchical Data Format
HDF-EOS	Hierarchical Data Format - Earth Observing System
NRT	Near Real Time
ODL	Object Description Language
OMI	Ozone Monitoring Instrument
ONVS	Ozone Near-real-time and Very-fast-delivery System.
PGE	Product Generation Executive
SDP	Science Data Production
SAA	South Atlantic Anomaly
TAI	International Atomic Time

1.3 References

1.3.1 Applicable Documents

AD1 URD for the OMI Ozone Near-Real-Time and Very-Fast-Delivery System

AD2 HDF-EOS Aura File Format Guidelines, NCAR SW-NCA-079, Version 1.3, 27 August 2003.

1.3.2 Reference Documents

RD1 HDF-EOS Interface Based on HDF5, 175-TP-511-003, May 2002.

RD2 Release 6A.07 SDP Toolkit Users Guide for the ECS Project, 333-CD-605-001, May 2002.

RD3 OMI Level 1B Product Format Specification, SE-OMIE-0562-DS/02, issue 1 (draft 7), 9 August, 2002.

RD4 Near Real-Time SSM/I EASE-Grid Daily Global Ice Concentration and Snow Extent, March 2002, URL: http://nsidc.org/data/docs/daac/nise1_nise.gd.html

RD5 OMIS Activity Definitions, RP-OMIE-KNMI-335, Issue 1, June 17 2002.

RD6 Release 6A.07 Toolkit Users Guide for the ECS Project, 333-CD-605-001, p. 6-310, May 2002.

1.4 Overview of the document

This document is laid out as follows:
Chapter 1 is the introduction.
Chapter 2 gives a general overview of the product.
Chapter 3 describes the product data file format and contents.
Chapter 4 describes the product metadata file.

2 Overview of the product.

The OMI Level 2 Ozone Product contains geolocated column integrated ozone concentrations. In addition, it also contains intermediate results, such as cloud information, fitting diagnostics, slant column densities etc.. Also, the product contains metadata. Every OMI Level 2 Ozone Product consists of two files: the data file which contains the actual data and metadata, and a metadata file which contains a subset of the metadata. The metadata file is used to search data archives like the NASA DAAC. The format of the data files are developed according to the guidelines given in AD2. The metadata file is produced by calling the SDP Toolkit [RD2] library.

2.1 Product Identifier

The identifier for the OMI ozone DOAS product as provided by the OMI Science Support Team is "OMDOAO3" for global products and "OMDOAO3Z" for zoom products.

2.2 File Names

The file name convention is specified in AD2. OMI file names will have 4 sections within the basis of the file name. Each section will be delimited by an *underscore*. The suffix will follow the basis and be delimited by a period. The four sections in the basis are Instrument ID, Data Type, Data ID and Version. Thus, the filename is constructed in the following way:

<InstrumentID>_<DataType>_<DataID>_<Version>.<Suffix>

In Table 1 details the contents of the four sections and the suffix are given. The following is an example of a file name:

OMI-Aura_L2-OMDOAO3_2004m0601t0732-o01696_v002-2004m0612t124127.he5

Table 1. Description of the different sections and the suffix of the filename.

Section	Format	Description
InstrumentID	"OMI-Aura"	ID for instrument and spacecraft.
DataType	"L2-OMDOAO3" for global products "L2-OMDOAO3Z" for zoom products	Level and product indicators
DataID	<start date and time>-o<orbit>	date and orbit indicators: date-time format: <yyyy>m<mmdd>t<hhmm> orbit format o<nnnnn>
Version	v<version>-<production date and time>	version indicators: version format <nnn> date-time format: <yyyy>m<mmdd>t<hhmmss>
Suffix	"he5" or "he5.met"	Suffixes for product file and metadata file.

3 The Data File

3.1 Description

The OMI Level 2 Ozone product data file contains the data and metadata produced by the OMI Ozone DOAS software, as described in AD1. The input for this product can either be Global or Zoom-in OMI Level 1B products.

3.2 Format

The format of the data file is HDF-EOS 5, as described in RD1. To ease the use of Aura data sets, the Aura teams have agreed to make their files match as closely as reasonably possible. To this end, the Aura teams have agreed on a set of guidelines for their file formats, which are described in AD2.

3.3 Structure

The data file uses HDF-EOS Swath[1] format. The number of Swath structures used in the data file depends on the L1B input product. If the product is produced from an OMI Global Level 1B product, the file contains a single swath structure named "ColumnAmountO3". Figure 1 shows an example of the structure of a data file produced from Global data.
If the product is produced from an OMI Zoom-in Product the file may contain more than one swath structures. The names of these swaths always starts with "ColumnAmountO3", and is followed by the <Size> identifier that follows the L1B Zoom product [RD3]. The <Size> identifier has the following format:

"<number_of_rows>"x"<position_of stop_column>"x"<binning_factor>.

An example of a swath name in the product in case of a zoom product is:

"ColumnAmountO3 60x792x4".



Figure 1. Structure of a product data file.

3.4 Swath Structure

Each Swath structure consists of data fields, geolocation fields and profile fields. In this product no profile fields are used. All data and geolocation fields are defined by their type, dimension and attributes. The dimensions that are used are listed in Table 2. The nTimes, nXtrack and nTimesSmallPixel dimensions are identical to those used in the Level 1B radiance files. In HDF a dimension can either be fixed or unlimited. Fixed indicates that the dimension is determined when the file is created. Unlimited indicates that the dimension can grow and thus not has to be determined when the file is created. For the dimensions nTimes and nTimesSmallPixel the size is not known at file creation, because parts of the orbit can be processed by the Level 1-2 software, therefore these

[1] Note that in the OMI community 'swath' is often referred to as the across track direction. However, in this document the 'swath' is only used for HDF-EOS elements, see RD1.

dimensions are set to unlimited. As a service to the user, the actual size of the nTimes and nTimesSmallPixel are stored as the Swath level attributes NumTimes and NumTimesSmallPixel. The reason for this is that the size of unlimited dimension can otherwise not be retrieved using the HDF-EOS library. Note that this is possible using the plain HDF library calls. Besides the size of the unlimited dimensions, there is also a swath level attribute to indicate the vertical coordinate. This is a mandatory attribute from AD2 and is set to "Total Column" to indicate that the datafields do not have a pressure or altitude dimension. The Swath level attributes are listed in Table 3, their names and types follow the Level 1B products.

All data and geolocation fields have attributes. The attributes for data and geolocation fields are listed in Table 4. In case the data is missing, fill values are used. These fill values depend on the data type. Table 5 shows a list of the fill values for all the types used in the product.

Table 2. Dimensions of the Swath structures.

Dimension Name	**Size**	**Dimension Description**
nTimes	unlimited	Number of OMI measurements
nXtrack	fixed	Number of ground pixels per measurement
nTimesSmallPixel	unlimited	Number of OMI small pixel measurements

Table 3. Swath level attributes.

Dimension Name	**Size**	**Dimension Description**
NumTimes	HE5T_NATIVE_INT32	Actual size of the dimension nTimes
NumTimesSmallPixel	HE5T_NATIVE_INT32	Actual size of the dimension nTimesSmallPixel
VerticalCoordinate	HE5T_NATIVE_CHAR	"Total Column"

Table 4. Data and geolocation field attributes.

Attribute name	**Attribute Type**	**Attribute Description**
MissingValue	Same type as data Field	Contains the value for missing data
Title	HE5T_NATIVE_CHAR	Title of the field
Units	HE5T_NATIVE_CHAR	Units after applying scales and offsets.
ScaleFactor	HE5T_NATIVE_FLOAT	Factor for scaling data
Offset	HE5T_NATIVE_FLOAT	Value to add to the data
UniqueFieldDefinition	HE5T_NATIVE_CHAR	Describes if definition of field is shared with other Aura Instruments ("Aura-Shared", "X-Specific", where X=Instrument Name, "X-Y[-Z]-Shared" where X,Y, and optional Z are instrument names (in alphabetical order)

Table 5. Fill values.

Data Type	**Fill Value**
HE5T_NATIVE_INT8	-127
HE5T_NATIVE_UINT8	255
HE5T_NATIVE_INT16	-32767
HE5T_NATIVE_UINT16	65535
HE5T_NATIVE_INT32	-2147483647
HE5T_NATIVE_UINT32	4294967295
HE5T_NATIVE_FLOAT	-2^{100} (-0X1P+100)
HE5T_NATIVE_DOUBLE	-2^{100} (-0X1P+100)

3.4.1 Geolocation Fields

The geolocation fields are stored in the Geolocation Fields group of the Swath structure. Table 6 Gives a description of the Geolocation Fields. In Table 7 the usage of the bit fields of the GroundPixelQualityFlags geolocation field are given. For detailed information of the Snow/Ice flags and the Land/Water flags used in the GroundPixelQualityFlags, see RD4 and RD6. For each of the fields the UniqueFieldDefinition (see Table 4) indicates if a field is shared with other instruments, see AD2. The default value is "OMI-Specific". In case of a shared field, this is indicated as note in the first column of Table 6.

Table 6. The Geolocation Fields.

Name	Type	Dimensions	Unit	Description
Time [s]	HE5T_NATIVE_DOUBLE	nTimes	second	Time in TAI-93 format.
Latitude [s]	HE5T_NATIVE_FLOAT	nTimes, nXtrack	degree	Latitude of the center of the groundpixel
Longitude [s]	HE5T_NATIVE_FLOAT	nTimes, nXtrack	degree (-180 to 180)	Longitude of the center of the groundpixel
SpacecraftLatitude [hot]	HE5T_NATIVE_FLOAT	nTimes	degree	Geodetic Latitude above WGS84 ellipsoid
SpacecraftLongitude [hot]	HE5T_NATIVE_FLOAT	nTimes	degree (-180 to 180)	Geodetic Longitude above WGS84 ellipsoid
SpacecraftAltitude [hot]	HE5T_NATIVE_FLOAT	nTimes	m	Altitude above WGS84 ellipsoid
SolarZenithAngle [s]	HE5T_NATIVE_FLOAT	nTimes, nXtrack	degree	Solar zenith angle at WGS84 ellipsoid for center co-ordinate of the ground pixel
SolarAzimuthAngle [ot]	HE5T_NATIVE_FLOAT	nTimes, nXtrack	degree	Solar azimuth angle at WGS84 ellipsoid for center co-ordinate of the ground pixel, defined East-of-North
ViewingZenithAngle	HE5T_NATIVE_FLOAT	nTimes, nXtrack	degree	Viewing zenith angle at WGS84 ellipsoid for center co-ordinate of the ground pixel
ViewingAzimuthAngle	HE5T_NATIVE_FLOAT	nTimes, nXtrack	degree	Viewing azimuth angle at at WGS84 ellipsoid for center co-ordinate of the ground pixel, defined Eastof-North
TerrainHeight	HE5T_NATIVE_INT16	nTimes, nXtrack	m	Terrain height at for center co-ordinate of the ground pixel
GroundPixelQualityFlags	HE5T_NATIVE_UINT16	nTimes, nXtrack	NoUnits	See Table 7.

[s]) UniqueFieldDefinition = "Aura-Shared"
[hot]) UniqueFieldDefinition = "HIRLDS-OMI-TES-Shared"
[ot]) UniqueFieldDefinition = "OMI-TES-Shared"

Table 7. Definition of the GroundPixelQualityFlags

Bit	Description
0-3	Land/Water flags [RD6] 0=Shallow Ocean 1=Land 2=Shallow Inland Water 3=Ocean coastline / Lake shoreline 4=Ephemeral (intermittent) water 5=Deep Inland Water 6=Continental Shelf Ocean 7=Deep Ocean 8-14=Not used 15=Error flag for Land/Water
4	Sun Glint Possibility flag
5	Solar Eclipse possibility flag
6	Geolocation Error flag
7	Reserved for future use
8-14	Snow/Ice flags [based on NISE, RD5] 0=Snow-free land 1-100=Sea ice concentration (%) 101=Permanent ice (Greenland, Antarctica) 102=Not used 103=Dry snow 104=Ocean [NISE-255] 105-123=Reserved 124=Mixed pixels at coastline [NISE-252] 125=Suspect ice value [NISE-253] 126=Corners (undefined) [NISE-254] 127=Error
15	NISE nearest neighbour filling flag 0=Not set 1=Set

3.4.2 Data Fields

The data fields are stored in the Data Fields group of the Swath structure. Table 8 Gives a description of the Data Fields. Table 9 and Table 10 give the detailed bit-level description of the MeasurementQualityFlags and ProcessingQualityFlags. As for the geolocation fields, the notes in the first column of Table 8 indicate that the UniqueFieldDefinition differs from the default value, which is “OMI-Specific”.

Table 8. The Data Fields.

Name	Type	Dimensions	Unit	Description
ColumnAmountO3	HE5T_NATIVE_FLOAT	nTimes, nXtrack	DU	Ozone vertical column density
ColumnAmountO3Precision	HE5T_NATIVE_FLOAT	nTimes, nXtrack	DU	Precision of the ozone vertical column density
SlantColumnAmountO3	HE5T_NATIVE_FLOAT	nTimes, nXtrack	DU	Ozone slant column density
SlantColumnAmountO3Precision	HE5T_NATIVE_FLOAT	nTimes, nXtrack	DU	Precision of the ozone slant column density

Name	Type	Dimensions	Unit	Description
GhostColumnAmountO3	HE5T_NATIVE_FLOAT	nTimes, nXtrack	DU	Ozone Ghost Column density
AirMassFactor	HE5T_NATIVE_FLOAT	nTimes, nXtrack	NoUnits	Air Mass Factor
ClearAirMassFactor	HE5T_NATIVE_FLOAT	nTimes, nXtrack	NoUnits	Air Mass Factor for cloud-free pixel
CloudyAirMassFactor	HE5T_NATIVE_FLOAT	nTimes, nXtrack	NoUnits	Air Mass Factor for cloud covered pixel
CloudFraction	HE5T_NATIVE_INT8	nTimes, nXtrack	NoUnits	Effective cloud fraction, scaled by a factor 100
CloudFractionPrecision	HE5T_NATIVE_INT8	nTimes, nXtrack	NoUnits	Effective cloud fraction precision, scaled by a factor 100
CloudRadianceFraction	HE5T_NATIVE_INT8	nTimes, nXtrack	NoUnits	Fraction of the radiance that comes from the cloudy part, scaled by a factor 100
CloudPressure	HE5T_NATIVE_INT16	nTimes, nXtrack	hPa	Effective cloud pressure
CloudPressurePrecision	HE5T_NATIVE_INT16	nTimes, nXtrack	hPa	Effective cloud pressure precision
TerrainPressure	HE5T_NATIVE_INT16	nTimes, nXtrack	hPa	Pressure of the center of the ground pixel.
TerrainReflectivity	HE5T_NATIVE_INT8	nTimes, nXtrack	NoUnits	Reflectivity of the ground pixel, scaled by a factor 100
SnowIceExtent	HE5T_NATIVE_UINT8	nTimes, nXtrack	NoUnits	Snow Ice extent information. Uses the NISE convention [RD4]
RingCoefficient	HE5T_NATIVE_FLOAT	nTimes, nXtrack	molecule cm^{-2}	Fitted ring coefficient
RingCoefficientPrecision	HE5T_NATIVE_FLOAT	nTimes, nXtrack	molecule cm^{-2}	Fitted ring coefficient precision
EffectiveTemperature	HE5T_NATIVE_INT8	nTimes, nXtrack	degree Celcius	Fitted Effective temperature of the ozone
EffectiveTemperaturePrecision	HE5T_NATIVE_INT8	nTimes, nXtrack	degree Celcius	Precision of the Fitted Effective temperature of the ozone
ChiSquaredOfFit	HE5T_NATIVE_FLOAT	nTimes, nXtrack	NoUnits	Chi-squared diagnostics of DOAS fit.
RootMeanSquareErrorOfFit	HE5T_NATIVE_FLOAT	nTimes, nXtrack	NoUnits	Root-mean-square error of DOAS fit
MeasurementQualityFlags	HE5T_NATIVE_UINT8	nTimes	NoUnits	See Table 9
ProcessingQualityFlags	HE5T_NATIVE_UINT16	nTimes, nXtrack	NoUnits	See Table 10
MeanSunNormalizedRadiance	HE5T_NATIVE_FLOAT	nTimes, nXtrack	NoUnits	Mean Sun Normalized Radiance over the DOAS Fit Window
SmallPixelRadiance	HE5T_NATIVE_FLOAT	nTimesSmallPixel, nXtrack	photons/(s.nm.cm^2.sr)	Radiance of small pixel data column
NumberOfSmallPixelColumns	HE5T_NATIVE_INT8	nTimes	NoUnits	Number of small pixels for current measurement.
InstrumentConfigurationId	HE5T_NATIVE_UINT8	nTimes	NoUnits	Unique ID for instrument settings for current measurement, see [RD5].

Table 9. Definition of the MeasurementQualityFlags

Bit	Name	Description
0	Measurement Missing Flag 0 Not set 1 Set	Set if all Ground Pixels give Earth Radiance Missing Flag.
1	Measurement Error Flag 0 Not set 1 Set	Set if any of the L1B MeasurementQualityFlags bit 0, 1 or 3 are set for the Radiance or for the used Solar product.
2	Measurement Warning Flag 0 Not set 1 Set	Set if any of the L1B MeasurementQualityFlags bit 2, 4, 5, 8, 9 are set for the Radiance or for the used Solar product.
3	Rebinned Measurement Flag 0 Not set 1 Set	Set if L1B radiance MeasurmentQualityFlags bit 7 is set to 1.
4	SAA Flag 0 Not set 1 Set	Set if L1B MeasurmentQualityFlags bit 10 is set to 1, for the Radiance or for the used Solar product
5	Spacecraft Maneuver Flag 0 Not set 1 Set	Set if L1B MeasurmentQualityFlags bit 11 is set to 1, for the Radiance or for the used Solar product
6	Instrument Settings Error Flag 0 Not set 1 Set	The Earth and Solar InstrumentConfigurationIDs are not compatible.
7	Cloud Data Not Synchronized Flag 0 Not set 1 Set	set if radiance and cloud data are not synchronized

Table 10. Definition of the ProcessingQualityFlags.

Bit	Name	Description
0	Solar Irradiance Warning Flag 0 Not set 1 Set	For any of the irradiance pixels contained in the fit window: - L1B PixelQualityFlags bit 6-10 is set - wavelenghtPrecision > maxWavelengthPrecision - wavelengthPrecision <= 0 - wavelengthPrecision contains fill value - irradiancePrecision > maxIrradiancePrecision - irradiancePrecision <= 0 - irradiancePrecision contains fill value
1	Earth Radiance Missing Flag 0 Not set 1 Set	For this ground pixel the number of spectral pixels flagged with the L1B PixelQualityFlags bit 0 is larger than threshold set in the OPF, or, the number of spectral pixels is too small to perform the fitting.
2	Earth Radiance Error Flag 0 No error 1 Error	For this ground pixel the number of spectral pixels flagged with the L1B PixelQualityFlags bit 0-5 is larger than a threshold set in the OPF.
3	Earth Radiance Warning Flag 0 Not set 1 Set	For any of the radiance pixels contained in the fit window: - L1B PixelQualityFlags bit 6-10 is set - wavelenghtPrecision > maxWavelengthPrecision - wavelengthPrecision <= 0 - wavelengthPrecision contains fill value - radiancePrecision > maxRadiancePrecision - radiancePrecision <= 0 - radiancePrecision contains fill value - Any of the radiance or geolocation fields used is out-of-bounds

Bit	Name	Description
4	Cloud Data Error Flag 0 Not set 1 Set	Cloud fraction set to zero flag, because the cloud data is missing or invalid. *Note that if the cloud product is not synchronized the cloud data is invalid.*
5	Cloud Data Warning Flag 0 Not set 1 Set	A warning flag is set for the cloud data
6	Snow/Ice Data Error Flag 0 Not set 1 Set	Set if Snow/Ice data from cloud product is missing or invalid.
7	SCD Error Flag 0 Not set 1 Set	Set if SCD fit returned error
8	SCD Warning Flag 0 Not set 1 Set	Set if any of the following occurrences: • SCD precision > maxSCDPrecision • RMS Error > RMSErrorFlag • SCD Covariance > maxSCDCovariance SCD is less than minSCD or SCD is larger than maxSCD
9	AMF Error Flag 0 No error 1 Error	Set if computation of AMFClear or AMFCloudy failed.
10	AMF Warning Flag 0 Not set 1 Set	Set if computation of AMFs returned warning because • Extrapolation of the LUTs TBA
11	Ghost Column Error Flag 0 Not set 1 Set	Set if Ghost Column could not be computed.
12	Ghost Column Warning Flag 0 Not set 1 Set	Set if the cloud pressure > surface pressure. The ghost column will be set to zero in this case.
13	VCD Error Flag 0 Not set 1 Set	Set if VCD could not be computed.
14	VCD Warning Flag 0 Not set 1 Set	Set if any of the following: • Cloud Data Warning Flag set • SCD Warning Flag set • AMF Warning Flag set • VCD computation returned warning • VCD is less than minVCD or VCD is larger than maxVCD VCD precision > maxVCDprecision
15	Reserved	Reserved

3.5 Metadata

In this document the term "metadata" is reserved for metadata on file (granule) level. Examples of metadata on granule level are the date and time that the data was measured, the percentage of the data that is missing for the granule, the geographic coverage, etc..
The metadata is implemented in two ways:

1. as HDF-EOS file level attributes
2. as ECS metadata.

The metadata fields that are implemented as HDF-EOS file level attributes are only available in the data file, whereas part of the ECS metadata fields are stored both in the data and in the metadata file. The advantage of storing a metadata field as HDF-EOS file attributes are that they are easily available for the users. Another advantage of using HDF-EOS file attributes is that there are no iterations needed with ECS to change or add such a metadata field. The ECS metadata on the other hand have the advantage that they are ingested by the ECS system (via the metadata file), and can be used for searching the DAAC archive. There are three types of ECS metadata:

1. Collection
2. Inventory
3. Archived.

The collection type metadata describe the collection of all the product files. Thus, collection metadata fields described in this document are the same for all the granules for the OMI Level 2 Ozone DOAS Product. The collection level metadata consist of fields like the instrument name ("OMI"), the platform name ("EOS-Aura"), etc.. The Inventory metadata describe a single granule. It contains standard ECS fields, as well as the so-called product specific attributes. Like the product specific attributes, the archive metadata can also be defined per product. The difference between archive and inventory metadata is that archive metadata cannot be used for searching the DAACs. Furthermore, the Archive level attributes are not part of the metadata file, whereas the Collection and Inventory metadata are contained in the metadata file. The Collection, Inventory and Archive ECS metadata are listed in Tables, 11, 12 and 13, respectively.

The HDF-EOS file attributes are stored in the "FILE_ATTRIBUTES" group, see Figure 1. The parameters that are stored as Global Attributes are listed in Table 14. Some of these parameters are also part of the ECS metadata, like for instance the the GranuleDay, GranuleMonth, GranuleYear attributes. The reason of this duplication is that the Global Attributes provide a simpler interface to this information.

Table 11. Collection metadata.

Name	**Value**
DLLName	libDsESDTOmOMIPoly.001Sh.so
SpatialSearchType	Orbit
ShortName	"OMDOAO3" for global, "OMDOAO3Z" for zoom products
LongName	"OMI/Aura Ozone (O3) DOAS Total Column 1-Orbit L2 Swath 13x24km" for global products, "OMI/Aura Ozone (O3) DOAS Total Column 1-Orbit L2 Swath 13x12km" for zoom products
CollectionDescription	Total Ozone Column measured with OMI using the DOAS technique
VersionID	1
RevisionDate	2004-01-12
SuggestedUsage	Sience Research
ProcessingCenter	OMI SIPS
ArchiveCenter	GSFC
VersionDescription	Pre-launch test using simulated and on-ground-acquired data

Name	Value
CitationforExternalPublication	OMI data contained herein were obtained through joined research between the Netherlands (NIVR/KNMI), Finland (FMI), and the U.S. (NASA) in the Earth Observing System (EOS) Aura Mission
CollectionState	In Work
MaintenanceandUpdateFrequency	Continually
TimeType	UTC
DateType	Gregorian
TemporalRangeType	Continuous Range
PrecisionofSeconds	1
EndsatPresentFlag	Y
RangeBeginningDate	2004-06-01
RangeBeginningTime	00:00:00.000000
RangeEndingDate	2004-06-01
RangeEndingTime	00:00:00.000000
ContactOrganizationContainer.Role	Archive
ContactOrganizationContainer.HoursofService	08:00 to 18:00:00 EDT (-0500 GMT)"
ContactOrganizationContainer.ContactInstructions	Contact for format/distribution issues
ContactOrganizationContainer.ContactOrganizationName	Goddard DAAC User Services
ContactOrganizationAddressContainer.StreetAddress	NASA/GSFC Code 902
ContactOrganizationAddressContainer.City	GREENBELT
ContactOrganizationAddressContainer.StateProvince	MD
ContactOrganizationAddressContainer.PostalCode	20771
ContactOrganizationAddressContainer.Country	USA
OrganizationTelephoneContainer.TelephoneNumber	301-614-5473
OrganizationTelephoneContainer.TelephoneNumberType	Voice
OrganizationTelephoneContainer.TelephoneNumber	301-614-5304
OrganizationTelephoneContainer.TelephoneNumberType	Facsimile
OrganizationEmail.ElectronicMailAddress	daac_usg@gsfcsrvr4.gsfcmo.ecs.nasa.gov
ECSDisciplineKeyword	Earth Science
ECSTopicKeyword	Atmosphere
ECSTermKeyword	Atmospheric Chemistry/Oxygen Compounds
ECSVariableKeyword	Ozone
ProcessingLevelDescription	Geophysical Quantities at sensor resolution or geolocated
ProcessingLevelID	2
PlatformShortName	Aura
PlatformLongName	EOS Aura Mission Satellite
PlatformType	Spacecraft
PlatformCharacteristicName	OrbitInclination
PlatformCharacteristicDescription	Angle between the orbit plane and the Earth's equatorial plane
PlatformCharacteristicDataType	float
PlatformCharacteristicUnit	Degrees
PlatformCharacteristicValue	98.2
InstrumentShortName	OMI
InstrumentLongName	Ozone Monitoring Instrument
InstrumentTechnique	Nadir-Viewing Cross-Track Imaging Spectroradiometry
NumberofSensors	2
SensorShortName	CCD Ultra Violet

Name	Value
SensorLongName	Charge Coupled Device Ultra Violet
SensorTechnique	Frame Transfer CCD Imaging Spectroradiometry
SensorCharacteristicName	CCD_UV_bandwidth
SensorCharacteristicDescription	The sensor's Ultra Violet wavelength range.
SensorCharacteristicDataType	varchar
SensorCharacteristicUnit	nm
SensorCharacteristicValue	270-380
SensorShortName	CCD Visible
SensorLongName	Charge Coupled Device Visible
SensorTechnique	Frame Transfer CCD Imaging Spectroradiometry
SensorCharacteristicName	CCD_VIS_bandwidth
SensorCharacteristicDescription	The sensor's Visible wavelength range.
SensorCharacteristicDataType	varchar
SensorCharacteristicUnit	nm
SensorCharacteristicValue	350-500
PrimaryCSDT	Complex Swath
Implementation	HDF-EOS
GranuleTimeDuration	6600

Table 12. Inventory metadata. Entries in blue are Product Specific Attributes.

Name	Mandatory	Location	nr. of values	Type	Value
SizeMBECSDataGranule	FALSE	DSS	1	Double	
ReprocessingPlanned	TRUE	DP	1	String	"Yes"
ReprocessingActual	TRUE	PCF	1	String	
DayNightFlag	TRUE	MCF	1	String	"Day"
LocalGranuleID	TRUE	PGE	1	String	Filename, as specified in section 2.2
LocalVersionID	TRUE	PCF	1	String	
ProductionDateTime	TRUE	TK	1	DateTime	
ParameterName	TRUE	PGE	1	String	"Ozone"
AutomaticQualityFlag	TRUE	PGE	1	String	*)
AutomaticQualityFlagExplanation	TRUE	PGE	1	String	**)
OperationalQualityFlag	TRUE	MCF	1	String	"Passed"
OperationalQualityFlagExplanation	TRUE	MCF	1	String	***)
ScienceQualityFlag	TRUE	MCF	1	String	"Not Investigated"
ScienceQualityFlagExplanation	TRUE	MCF	1	String	****)
QAPercentMissingData	TRUE	PGE	1	Integer	Percentage of data for which ProcessingQuality-Flags bit 13 is set.
QAPercentOutOfBoundsData	TRUE	PGE	1	Integer	Percentage of pixels for which the ozone VCD is outside the boundaries set in the OPF
OrbitNumber	TRUE	PGE	1	Integer	
EquatorCrossingDate[1]	TRUE	PGE	1	Date	
EquatorCrossingTime[1]	TRUE	PGE	1	Time	
EquatorCrossingLongitude[1]	TRUE	PGE	1	Double	
ShortName	TRUE	MCF	1	String	"OMDOAO3" for global "OMDOAO3Z" for zoom
VersionID	TRUE	MCF	1	Integer	"0"
InputPointer	TRUE	PGE	20	String	

Name	Mandatory	Location	nr. of values	Type	Value
RangeBeginningDate[2]	TRUE	PGE	1	Date	
RangeBeginningTime[2]	TRUE	PGE	1	Time	
RangeEndingDate[2]	TRUE	PGE	1	Date	
RangeEndingTime[2]	TRUE	PGE	1	Time	
PGEVersion	TRUE	PCF	1	String	
AssociatedPlatformShortName	TRUE	MCF	1	String	"Aura"
AssociatedInstrumentShortName	TRUE	MCF	1	Aura	"OMI"
AssociatedSensorShortname	TRUE	MCF	1	String	"CCD Ultra Violet"
OperationMode	TRUE	PCF	1	String	"Global" or "Zoom"
NrMeasurements[1]	TRUE	PGE	1	Integer	Range(0,5000)
NrZoom[1]	TRUE	PGE	1	Integer	Range(0,5000)
NrSpatialZoom[1]	TRUE	PGE	1	Integer	Range(0,5000)
NrSpectralZoom[1]	TRUE	PGE	1	Integer	Range(0,5000)
ExpeditedData[1]	TRUE	PGE	1	String	"True" or "False"
SouthAtlanticAnomalyCrossing[1]	TRUE	PGE	1	String	"True" or "False"
SpacecraftManeuverFlag[1]	TRUE	PGE	1	String	"True" or "False"
SolarEclipse[1]	TRUE	PGE	1	String	"True" or "False"
InstrumentConfigurationIDs[1]	TRUE	PGE	256	Integer	Range(0,255)
MasterClockPeriods[1]	TRUE	PGE	256	Float	Range(0,255)
ExposureTimes[1]	TRUE	PGE	256	Float	Range(0,255)
PathNr[1]	TRUE	PGE	500	Integer	Range(1,466)
StartBlockNr[1]	TRUE	PGE	500	Integer	Range(1,500)
EndBlockNr[1]	TRUE	PGE	500	Integer	Range(1,500)

[1]) The value can be copied from the L1B Radiance metadata fields.

[2]) The value can be copied from the L1B Radiance metadata fields or set via the time tags in the PCF.

*) "Failed" if :
RadianceScienceQualityFlag is "Failed".
IrradianceScienceQualityFlag is "Failed".
The maximum of the following parameters is larger than or equal to the AutomaticQAFailed parameter in the OPF:
QAPctRadianceError
QAPctCloudDataError
QAPctSCDError
QAPctGhostColumnError
QAPctVCDError

"Suspect" if:
RadianceScienceQualityFlag is "Suspect".
IrradianceScienceQualityFlag is "Suspect".
The maximum of the following parameters is smaller than the AutomaticQAFailed but larger or than or equal to the AutomaticQASuspect parameter in the OPF:
QAPctRadianceError
QAPctCloudDataError
QAPctSCDError
QAPctGhostColumnError
QAPctVCDError

"Passed" for all other conditions.

**) "The value is based on a combination of the RadianceScienceQualityFlag, IrradianceScienceQualityFlag, QAPctRadianceError, QAPctCloudDataError, QAPctSCDError, QAPctGhostColumnError, QAPctVCDError. Thresholds used: xx% for Failed and yy% for Suspect."

***) "This granule passed operational tests that were administered by the OMI SIPS. QA metadata was extracted and the file was successfully read using standard HDF-EOS utilities."

****) "An updated science quality flag and explanation is put in the product .met file when a granule has been evaluated. The flag value in this file, Not Investigated, is an automatic default that is put in every granule during production."

Table 13. Archive metadata.

Name	Location	Mandatory	# values	Type	Description
LongName	MCF	TRUE	1	String	"OMI/Aura Ozone (O3) DOAS Total Column 1-Orbit L2 Swath 13x24km" for global products, "OMI/Aura Ozone (O3) DOAS Total Column 1-Orbit L2 Swath 13x12km" for zoom products
ESDTDescriptorRevision	MCF	TRUE	1	String	0.9.30

Table 14. Global Attributes of the OMI Level 2 Ozone DOAS data files.

Name	Data Type	nr	Description
InstrumentName	HE5T_NATIVE_CHAR	1	"OMI"
ProcessLevel	HE5T_NATIVE_CHAR	1	"2"
GranuleMonth	HE5T_NATIVE_INT	1	Month of start of granule (1-12)
GranuleDay	HE5T_NATIVE_INT	1	Day of start of granule (1-31)
GranuleYear	HE5T_NATIVE_INT	1	Year of start of granule (i.e. 2003)
TAI93At0zOfGranule	HE5T_NATIVE_DOUBLE	1	TAI time at 00:00 UTC at date of start of granule
PGEVersion	HE5T_NATIVE_CHAR	1	Version of the PGE
ProcessingSystem	HE5T_NATIVE_CHAR	1	"OFFLINE", "NRT" or "VFD"
OzoneColumnAmountHistogram	HE5T_NATIVE_INT32	21	Histogram of OzoneColumnAmount with bin size of 50 DU
SolarProductMissing 0 Not set 1 Set	HE5T_NATIVE_INT	1	Set if the Solar product could not be opened, read, is in unexpected format or the data is missing. The Backup product is used in this case.
SolarProductOutOfDate 0 Not set 1 Set	HE5T_NATIVE_INT	1	Set if the difference of the dates of the measurements of the Earth radiance and Solar irradiance is larger than maxSolarAge
SolarIrradianceWarning 0 Not set 1 Set	HE5T_NATIVE_INT	1	Set if QAPctIrradianceWarning is larger than 0
BackupSolarProductUsed 0 Not set 1 Set	HE5T_NATIVE_INT	1	Set if the backup Solar product is used instead of the normal Solar product.
ParametersInconsistent 0 Not set 1 Set	HE5T_NATIVE_INT	1	Set if there is an inconsistency between the OPF parameters and the parameters of the LUTs.
RadianceParametersMissing 0 Not set 1 Set	HE5T_NATIVE_INT	1	Set if any of the general parameters from the L1B radiance product are missing.
RadianceScienceQualityFlag	HE5T_NATIVE_CHAR	1	Set to the value set for the radiance product ScienceQualityFlag metadata attribute
IrradianceScienceQualityFlag	HE5T_NATIVE_CHAR	1	Set to the value set for the Solar product ScienceQualityFlag metadata attribute
CloudProductMissing 0 Not set 1 Set	HE5T_NATIVE_INT	1	Set if the Cloud product could not be opened, read or is in unexpected format.
QAPctSunGlint	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 GroundPixelQualityFlags bit 4 is set
QAPctEclipse	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 GroundPixelQualityFlags bit 5 is set
QAPctIrradianceWarning	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 0 is set
QAPctRadianceMissing	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 1 is set
QAPctRadianceError	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 2 is set
QAPctRadianceWarning	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 3 is set
QAPctCloudDataError	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 4 is set

Name	Data Type	nr	Description
QAPctCloudDataWarning	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 5 is set
QAPctSnowIceDataError	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 6 is set
QAPctSCDError	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 7 is set
QAPctSCDWarning	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 8 is set
QAPctAMFError	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 9 is set
QAPctAMFWarning	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 10 is set
QAPctGhostColumnWarning	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 11 is set
QAPctGhostColumnError	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 12 is set
QAPctVCDError	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 13 is set
QAPctVCDWarning	HE5T_NATIVE_INT	1	Percent of ground pixels for which L2 ProcessingQualityFlags bit 14 is set
QAPctMeasMissing	HE5T_NATIVE_INT	1	Percent of measurements for which L2 MeasurementQualityFlags bit 0 is set
QAPctMeasError	HE5T_NATIVE_INT	1	Percent of measurements for which L2 MeasurementQualityFlags bit 1 is set
QAPctMeasWarning	HE5T_NATIVE_INT	1	Percent of measurements for which L2 MeasurementQualityFlags bit 2 is set
QAPctRebinned	HE5T_NATIVE_INT	1	Percent of measurements for which L2 MeasurementQualityFlags bit 3 is set
QAPctSAA	HE5T_NATIVE_INT	1	Percent of measurements for which L2 MeasurementQualityFlags bit 4 is set
QAPctSpacecraftManeuver	HE5T_NATIVE_INT	1	Percent of measurements for which L2 MeasurementQualityFlags bit 5 is set
QAPctInstrumentSettingsError	HE5T_NATIVE_INT	1	Percent of measurements for which L2 MeasurementQualityFlags bit 6 is set
QAPctCloudDataNotSynchronized	HE5T_NATIVE_INT	1	Percent of measurements for which L2 MeasurementQualityFlags bit 7 is set
OPF_fittingWindow	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_fittingWindowColumnRange	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_level1ReadBufferSize	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_level2WriteBufferSize	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_fittingPolydegree	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_meritFunction	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_interpolationMethod	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_amfAngleUpperLimit	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_O3ReferenceTemperature	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxNSolarWavelengthsFlagged	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxNEarthWavelengthsFlagged	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxNEarthWavelengthsFlaggedMissing	HE5T_NATIVE_CHAR	1	OPF Setting

Name	Data Type	nr	Description
OPF_maxSolarWavelnPrecision	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxEarthWavelnPrecision	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxScdPrecision	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxGcd	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxFitRms	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_opfVersion	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsSCD	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsVCD	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsAMF	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsEarthRad	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsSolarIrrad	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxEarthRadPrecision	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxSolarIrradPrecision	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsLatitude	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsLongitude	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsSZA	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsSAZ	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsVZA	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsVAZ	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsRAZ	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsSurfaceHeigth	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsSurfacePressure	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_limitsSurfaceAlbedo	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_albedoSnow	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_albedoWater	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_albedoLandThreshold	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_albedoWaterThreshold	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_albedoSeaIceNH	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_albedoSeaIceSH	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxSCDCovariance	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_maxSolarIrradianceAgeIn Days	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_automaticQualityFailed	HE5T_NATIVE_CHAR	1	OPF Setting
OPF_automaticQualitySuspect	HE5T_NATIVE_CHAR	1	OPF Setting

3.6 Data File Size

The size of the data files depends on the number of measurements and whether it is generated from a Global or Zoom-in Level 1B product. Table 15 shows estimates for the data file for an orbit of Global data and part of the orbit of Global or Zoom-in data.

Table 15. Estimated data file sizes.

L1B Product	Duration [min]	Dimensions		File Size [Mbytes]	Size per Groundpixel [bytes]
		nTimes	nXtrack		
Global	53 (orbit)	1600	60	12.0	125
Global	10	300	60	3.1	173
Zoom-in	10	300	120	5.2	143

4 The Metadata File

4.1 Description

The metadata file contains the metadata of the granule. It is produced by call to the SDP Toolkit.

4.2 Format

The metadata file is in ASCII.

4.3 Structure

The metadata uses ODL.

Metadata Fields
The metadata fields for the ECS metadata are listed in tables 12, 13 and 14.